

# mobile multi-media filtration trailer

## pretreatment for RO system

### description and use



SUEZ's Multimedia Filtration (MMF) Trailer can be used to feed a Reverse Osmosis (RO) unit where the raw water has high turbidity or is of such quality that could foul an RO. The units are designed to produce water at flow rates up to 800 GPM (204 m<sup>3</sup>/hr.). The unit can remove significant turbidity with appropriate use of a coagulant.

### general properties

#### Features

- Up to 800 gpm (204 m<sup>3</sup>/hr) flow rate from five media vessels
- Able to combine with other SUEZ Mobile units to enhance system capability

**Table1: Trailer Specifications**

<b>Dimensions</b>	
Trailer Length	48 ft (14.6 m)
Trailer Height	13 ft, 6 in. (4.1 m)
Trailer Width	8 ft, 6 in. (2.6 m)
Shipping Wt.	@ 60,000 lb (27,215 kg)
<b>Systems on Board</b>	
Up to 800 gpm (204 m <sup>3</sup> /hr)	
Five 60" (1.5m) diameter multimedia vessels (anthracite, sand, garnet) 100 micron screen filter	
Three chemical injects with in-line static mixer	
<b>Pretreatment for RO System</b>	
Max. Water Temp.	100° F (38° C)
Min. Water Temp.	40° F (4.4° C)
Nom. Water Temp.	40°-75°F (4.4°-24°C)
Max. Inlet Pressure	80 psig (5.5 bar)
Min. Inlet Pressure	40 psig (2.8 bar)
TSS (maximum)	<50
<b>Connections (PVC)</b>	
Connection Type	Victaulic/150# ANSI flange adaptor
Inlet/outlet	6-in. (152 mm)
Drain	3-in. (76 mm)
<b>Electrical</b>	
Power	One drop of 80 amp 3-phase power 1460 VAC, 60 Hz
Breaker Size	100Amp 3-phase (min.)
Installed KVA	63 KVA
<b>Instrumentation</b>	
PLC	GE Fanuc <sup>1</sup> PLC
Customer	Discrete signal from RO unit for automatic shutdown

<sup>1</sup> GE Fanuc is a trademark of General Electric Company.

Find a contact near you by visiting [www.suezwatertechnologies.com](http://www.suezwatertechnologies.com) and clicking on "Contact Us".

\*Trademark of SUEZ; may be registered in one or more countries.

©2017 SUEZ. All rights reserved.

**Table1: Trailer Specifications (continued)**

<b>Parameters</b>	<b>Inlet (raw water)</b>	<b>Outlet (filtrate)</b>
Pressure	X	X
Flow	X	
Turbidity	X	X
<b>HVAC</b>		
The MMF unit is climate controlled with an electric HVAC unit.		
<b>Chemicals</b>		
All chemicals (coagulants, etc.) to operate the unit will be provided by SUEZ		

### **safety precautions**

A Material Safety Data Sheet containing detailed information about this product is available on request.