



# CERTIFICATE OF ACCREDITATION

## The ANSI National Accreditation Board

Hereby attests that

**SUEZ Water Technologies & Solutions Hungary Kft.**

**Vigado ut 2011 hrsz.**

**2800 Tatabanya**

**Komarom Esztergom County, Hungary**

Fulfills the requirements of

**ISO 17034:2016**

In the field of

**REFERENCE MATERIAL PRODUCER**

This certificate is valid only when accompanied by a current scope of accreditation document.

The current scope of accreditation can be verified at [www.anab.org](http://www.anab.org).

A handwritten signature in black ink, appearing to read 'R. Douglas Leonard Jr.', is positioned above a horizontal line.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 10 March 2023

Certificate Number: AR-2132



This reference material producer is accredited in accordance with the recognized International Standard ISO 17034:2016. This accreditation demonstrates technical competence for a defined scope and the operation of a reference material producer quality management system.

**SCOPE OF ACCREDITATION TO ISO 17034:2016**

**SUEZ Water Technologies & Solutions Hungary Kft.**

Vigado utca 2011 hrsz.  
2800 Tatabanya  
Komarom Esztergom County  
Hungary

Greg Boothe Phone: 720-622-0194, 303-444-2009  
[sievers.quality.wts@suez.com](mailto:sievers.quality.wts@suez.com) [www.suezwatertechnologies.com](http://www.suezwatertechnologies.com)

**REFERENCE MATERIAL PRODUCER**

Valid to: **March 10, 2023**

Certificate Number: **AR-2132**

**Chemical**

Sub-Category of Reference Material	ILAC RM Category	Class or Type of Reference Materials Produced (Include Range Where Applicable)	Methods or Techniques Used in the RMP Laboratory (if Appropriate)
A2 Inorganic Reference Materials	A2.6	Inorganic Carbon (IC) Standards	In-House Method
A3 Organic Reference Materials	A3.1	Total Organic Carbon (TOC) Standards	In-House Method
A4 Environmental Reference Materials	A4.3	Total Organic Carbon (TOC) Standards Inorganic Carbon (IC) Standards	In-House Method

Notes:

1. Please contact the RMP organization for more information on CRM uncertainty values, Ucrm values, and other specific lot values. Some of this information may also be available on the RMP's website.
2. This scope is formatted as part of a single document including Certificate of Accreditation No. AR-2132.



R. Douglas Leonard Jr., VP, PILR SBU