



# CERTIFICATE OF ACCREDITATION

## ANSI-ASQ National Accreditation Board

500 Montgomery Street, Suite 625, Alexandria, VA 22314, 877-344-3044

This is to certify that  
**SUEZ Water Technologies & Solutions**  
**Analytical Instruments**  
**6060 Spine Rd.**  
**Boulder, CO 80301**  
has been assessed by ANAB  
and meets the requirements of international standard

## ISO 17034:2016

while demonstrating technical competence in the field of

## Reference Material Producer

Refer to the accompanying Scope of Accreditation for information regarding the types of materials to which this accreditation applies.

AR-2119

Certificate Number

ANAB Approval

Certificate Valid: 12/12/2018-01/20/2021

Version No. 004 Issued: 12/12/2018



This reference material producer is accredited in accordance with the recognized International Standard ISO 17034:2016. This accreditation demonstrates technical competence for a defined scope and the operation of an RMP quality management system.



**SCOPE OF ACCREDITATION TO ISO 17034:2016**

**SUEZ Water Technologies & Solutions  
Analytical Instruments**

6060 Spine Rd  
Boulder, CO 80301

Greg Boothe Phone: 720-622-0194  
[Gregory.Boothe@suez.com](mailto:Gregory.Boothe@suez.com) [www.sieversinstruments.com](http://www.sieversinstruments.com)

**REFERENCE MATERIAL PRODUCER**

Valid to: **January 20, 2021**

Certificate Number: **AR-2119**

**Chemical**

Sub-Category of Reference Material	ILAC RM Category	Class or Type of Reference Materials Produced (Include Range Where Applicable)	Methods or Techniques Used in the RMP Laboratory (if Appropriate)
A2 Inorganic Reference Materials	A2.6	RMs for Inorganic Carbon (IC)	In-House Method
A3 Organic Reference Materials	A3.1	CRMs and RMs for Total Organic Carbon (TOC)	In-House Method
A4 Environmental Reference Materials	A4.3	CRMs and RMs for Total Organic Carbon (TOC) RMs for Inorganic Carbon (IC)	In-House Method
A9 Ion Activity	A9.3	CRMs for Conductivity	In-House Method

Notes:

1. Please contact the RMP organization for more information on CRM uncertainty values, Ucrm values, and other specific lot values. Some of this information may also be available on the RMP's website.
2. This scope is formatted as part of a single document including Certificate of Accreditation No. AR-2119.

  
Vice President